

### **Listing of Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) A method for treating a wound by removing a protease from the site of the wound, said method comprising the steps of:

(a) selecting a protein-containing fibrous component capable of removing a protease, wherein said protein-containing fibrous component consists essentially of protein fibers;

(b) forming a wound dressing from said protein-containing fibrous component;

(c) selecting at least one protein from the group consisting of growth factors, cytokines, and chemokines for application to a wound site;

(d) applying said wound dressing and said protein to the wound site so that said protein-containing fibrous component is in contact with the wound site, and allowing at least a portion of said protease found at the wound site to be attracted to and entrapped by said protein-containing fibrous component; and

(e) removing said wound dressing from the wound site so that at least a portion of said protease is removed from the wound site.

2. (Previously Presented) The method of claim 1 wherein said protein fibers are silk fibers.

3. (Previously Presented) The method of claim 1 wherein said protein fibers are wool fibers.

4. (Previously Presented) The method of claim 1 wherein said protein-containing fibrous component is a protein-containing fabric.

5. (Previously Presented) The method of claim 4 wherein said protein-containing fabric is a silk gauze.

6-9. (Cancelled)

10. (Original) The method of claim 1 wherein said protease comprises elastase.

11. (Original) The method of claim 1 wherein said protease comprises neutrophil elastase.

12. (Original) The method of claim 1 wherein said protease comprises gelatinase.

13. (Original) The method of claim 1 wherein said protease comprises gelatinase B (MMP-9).

14. (Original) The method of claim 1 wherein said protease comprises plasmin.

15. (Previously Presented) The method of claim 1 wherein said protein is applied to said wound site as a component separate from said wound dressing.

16. (Original) The method of claim 15 wherein said protein is applied to said wound site in the form of an ointment, lotion, solution, or gel.

17. (Original) The method of claim 1 wherein said protein is included as part of the wound dressing itself.

18. (Original) The method of claim 1 wherein said growth factor is chosen from the group consisting of platelet-derived growth factors, vascular endothelial growth

factors, transforming growth factors, fibroblast growth factors, and epidermal growth factors.

19. (Previously Presented) A method for treating a wound by removing a protease from the site of the wound, said method comprising the steps of:

(a) applying a wound dressing and at least one growth factor to a wound site wherein said wound dressing comprises a protein-containing fibrous component capable of removing said protease, wherein said protein-containing fibrous component consists essentially of protein fibers and wherein said wound dressing is applied so that said protein-containing fibrous component is in contact with the wound site; and

(b) allowing said wound dressing to withdraw and entrap said protease so that healing of the wound is promoted.

20. (Previously Presented) The method of claim 19 wherein said growth factor is applied to the wound site as a component separate from said wound dressing.

21. (Original) The method of claim 20 wherein said growth factor is applied to said wound site in the form of an ointment, lotion, solution, or gel.

22. (Original) The method of claim 19 wherein said growth factor is included as part of the wound dressing itself.

23. (Original) The method of claim 19 wherein said growth factor is chosen from the group consisting of platelet-derived growth factors, vascular endothelial growth factors, transforming growth factors, fibroblast growth factors, and epidermal growth factors.

24. (Previously Presented) A wound dressing for removing a protease from the site of the wound and supplying a growth factor to a wound site, said wound dressing comprising:

(a) a protein-containing fibrous component consisting essentially of protein fibers, wherein said protein-containing fibrous component is structured so that said protein-containing fibrous component will be in contact with the wound site when the wound dressing is applied to the wound; and

(b) at least one growth factor

wherein a protease found at the wound site may be attracted to and entrapped by said protein-containing fibrous component.

25. (Previously Presented) The wound dressing of claim 24 wherein said protein fibers are silk fibers.

26. (Previously Presented) The wound dressing of claim 24 wherein said protein fibers are wool fibers.

27. (Previously Presented) The wound dressing of claim 24 wherein said protein-containing fibrous component is a protein-containing fabric.

28. (Previously Presented) The wound dressing of claim 27 wherein said protein-containing fibrous component is a silk gauze.

29. (Original) The wound dressing of claim 24 wherein said dressing further comprises a non-protein-containing material in addition to the protein-containing fibrous component.

30-31. (Cancelled)

32. (Original) The wound dressing of claim 24 wherein said growth factor is chosen from the group consisting of platelet-derived growth factors, vascular endothelial growth factors, transforming growth factors, fibroblast growth factors, and epidermal growth factors.